



Winkonlaser

Bringing Beauty and Love by Technology

Add: D2510, Victoria Building, Beijing, China

WhatsApp: +8618533632296

Email: info@winkonlaser.com

Web: www.winkonlaser.com/www.beautemax.com

ARESMIX[®]
Diode Laser Hair Removal System



How does it work?

The semiconductor hair removal machine uses a semiconductor laser as the excitation source and emits a laser with a wavelength of 808 nm. The laser at this wavelength is highly selectively absorbed by the hair tissue, especially the melanin in the hair follicle, reducing the absorption rate of other normal tissues and allowing more light energy. It acts on the hair follicle to destroy the hair follicle tissue, so that the hair follicle stem cells lose their replication and memory functions to achieve the purpose of removing hair. At the same time, the laser will not cause any effect on normal tissue.

Laser device: macro channels

The macro channel working mode has a long service life, high cost performance, no special requirements for water quality, stable quality, and is not easy to burn palladium bars.

Working frequency: 1-20Hz

The market is still 1-10Hz, and the high frequency makes large-area hair removal more efficient.

Wavelength: upgrade to 4 wavelengths

808: For general skin and hair types
755: Especially for light and tiny hair
1064: Safe and effective for dark skin
940: For removing redness from the skin, vascular removal

Control system: configure temperature and water flow sensors

Once the temperature and water flow are abnormal, a safety alarm will be issued. Protect machines from running safely and protect customers from harm.





Product Name	DL1500(AresMix)
Technology	808nm + 755nm + 940nm + 1064nm Diode laser
Laser Device	USA imported COHERENT Laser Device
Touch Screen	4K HD 15.6 inch color touch screen
Cooling System	Wind + Water + Semiconductor thermostatic refrigerator +Handle TEC chip + Sapphire cooling
Spot Size	12*40mm /14*25mm
Frequency	1-20Hz adjustable
Water pipeline	Three-layer water pipe imported from Japan
Water pump	Italy imported high-power diaphragm pump
Water tank	6L Transparent acrylic material
Power supply	Taiwan MEAN WELL brand
Filter	Particle + ion filter
Laser Power (Standard)	1200W
Control system	Water temperature + water flow alarm
Machine Dimension	125*52*52CM
Net/Gross Weight	54KG/80KG
Packing Weight	120KG
Packing Size	132*70*64CM
Input VAC	220VAC / 50-60Hz

Platform Benefits

- * LARGE SPOT SIZE FOR QUICK TREATMENTS
 - * FIVE IN ONE SUPER STRONG COOLING SYSTEM
 - * TWO SPOT SIZE HANDLE PIECE
 - * UPDATED WAVELENGTHS, SPECIAL WITH 940NM
 - * INTUITIVE, USER FRIENDLY LARGE SCREEN (15.4' INCH) WITH PRE-SET PARAMETERS
 - * I-VI SKIN TONES AND TANNED SKIN
 - * NO CONSUMABLES
-

